

“Skin and Subcutaneous Disorders L00 – L51; L51 – L99 Guidelines and Examples”

Presented by Paul Kinberg, DPM, and Michael King, DPM

Webinar 3: Thursday, February 6, 2014

APMA Educational Information:

- Webinars are online – apma.org/webinars
- Questions – Health Policy and Practice Department
coding.hpp@apma.org or 301-581-9200
- Favorite for ICD-10 updates – apma.org/icd10
- Coding Resource Center – apmacodingrc.org
- Register for upcoming webinars – apma.org/icd10

APMA Educational Information:

- www.apma.org/icd10

Learn About Feet | Education & Professional Development | Manage Your Practice | APMA Working for You

Home » Manage Your Practice

Print | Share | RSS

Edit Content Tools:

ICD-10-CM Resources

The International Classification of Diseases, 10th Edition Clinical Modification (ICD-10-CM) will replace ICD-9-CM on October 1, 2014. ICD-10-CM incorporates much greater clinical detail and specificity than ICD-9-CM.

The APMA "ICD-10 is Here" Coding Seminar and Webinar Series

In order to meet the ever-increasing demand for information on coding policies specific to the practice of podiatric medicine and surgery, APMA will offer a series of stand-alone seminars in 2014 to address the implementation of ICD-10. For more details and information, visit the "ICD-10 is Here" page.

General Information

- **APMA Coding Resource Center: ICD-10-CM and Crosswalks**
The APMA Coding Resource Center is a fully integrated subscription online coding and reimbursement resource for foot, ankle, and leg-relevant CPT®, ICD-9-CM and ICD-10 (Volume 1, 2), HCPCS Level II codes, and Medicare LCDs and fee schedules.

Webinars

- **The APMA "ICD-10 is Here" Coding Seminar and Webinar Series**
- **Preparing for 2014: What You Need to Ask Your Vendors**
James Christina, DPM, APMA director, Scientific Affairs (November 19, 2013)

Related Content

- Coding Seminar Speakers Bureau
- Coding Seminar Background Information
- APMA Coding Seminar Schedule

In This Section

- Reimbursement Issues
- Compliance Materials
- Hospital Privileging and Credentialing
- Health Information Technology
- State Laws & Regulations
- Classified Ads
- Coding Resource Center
- APMA Buyers' Guide
- Promote Your Practice
- APMA e-Store
- Patient Information

APMA Coding Resource Center

- You now have the ability to search and look at all of the ICD-10-CM codes
www.apmacodingrc.org



The screenshot shows the APMA Coding Resource Center website. The navigation menu at the top includes Home, CPT, ICD-9-CM, ICD-10-CM (highlighted with a red circle), HCPCS, Medicare, References, Library, Favorites, and CCI Edits. Below the navigation menu is a search bar and a 'Go' button. On the left side, there is a 'TABLE OF CONTENTS' section with links to Coding & Reimbursement, Disclaimer & Copyright Information, and CRC Document & Video Library. Below that is a 'Feedback / Suggestion:' section with a text input field and a 'Submit' button. At the bottom left, there is a Merz logo and text stating that the APMA Coding Resource Center has been made possible through an educational grant from Merz Pharmaceuticals. The main content area features a 'Welcome' message, a 'News & Alerts' section with a link to 'ICD-9 to ICD-10 Crosswalks Now Available', and a 'CPT Tab Tutorial' video player.


Welcome

You are logged into the APMA Coding Resource Center as: **djfreedman**. This site has been tested with Microsoft Internet Explorer, Mozilla Firefox, and Safari web browsers. If you are using another web browser and are having difficulty with this web site, please consider installing one of these browsers instead. This site also requires Cookies and Javascript to be enabled on your browser.

News & Alerts

- ICD-9 to ICD-10 Crosswalks Now Available**

On October 1, 2013, the APMA Coding Resource Center included a new tab, ICD-10-CM, for



L Code Vignette

Chief Complaint and History of Present Illness

The patient presents again on referral from Xxx Yyyyyyy, MD following a one-year absence. He states for the past week his third toe, left foot has been red and swollen. He states he has noticed a clear drainage from the tip of the toe. The patient states he has not done anything to his toe since he noticed this problem.

History, Medication & Allergy

Med Hx: diabetes mellitus, type II

RX: metformin

amaryl

Victoza

Altace

insulin

mupirocin

ALLERGY: Denies

Review-of-Systems

HEENT - history of migraines

GU - gastric reflux

Const - negative

CV - negative

Resp - negative

GI - negative

Derm - negative

Neuro - negative

Psych - negative

Endo - negative

Hemo - negative

Immuno - negative

MS - negative

Social History

Manager of auto parts store

Tobacco - Denies

Alcohol - Denies

Caffeine - soft drinks

Constitutional

Core ear temp: 94.5°F

Pulse: 88 / min

Resp: 16 / min

B/P: 126/76 left arm, sitting

The patient is a well-nourished adult male with good body habitus who presents in no acute distress. The patient is orientate to time, place, and person. The patient's mood and affect is normal and appropriate to this situation.

Lower Extremity Exam

Pedal pulses - +1/2 dorsalis pedis and posterior tibial, bilateral.

Skin texture and turgor - within normal limits, bilateral. The skin does appear to be dry without severe cracking, bilateral.

Hair growth - adequate from knees to toes, bilateral.

Nails - absent third toenails, bilateral and second toenail, left foot.

Skin temperature - warm to warm from knees to toes, bilateral.

Clubbing/Cyanosis - none noted, bilateral.

Neurologic Exam

- DTR : Patellar - decreased reflex, bilateral.
 Achilles - decreased reflex, bilateral.
- Babinski : negative response, bilateral.
- Clonus : negative response, bilateral.
- Vibratory : unable to elicit digital response, bilateral.
- Filament: 6.10 - unable to elicit response (5/5), bilateral.
 5.07 - unable to elicit response (5/5), bilateral.
 4.17 - unable to elicit response (5/5), bilateral.

Musculoskeletal Exam

There is an open, draining ulceration noted on this distal tip, third toe, left foot. The entire third digit, left foot is swollen to twice its normal size. Erythema encompasses the entire digit. A clear serous exudate is noted from the ulcer site. The ulcer measures approximately 0.3 cm in diameter. The ulcer probes approximately 1.0 cm into the digit. The distal phalanx can be palpated during the probing. There is no undermining of the ulcer site. No peri-ulcer callus is noted about the ulceration. There is no noted erythema on either the dorsal or plantar aspect of the left foot.

Diagnoses

1. Ulceration, grade IIIB, third toe, left foot.
2. Suspected osteomyelitis, distal phalanx, third toe, left foot.
3. Acute cellulitis, third toe, left foot.
4. Diabetes mellitus, type II with peripheral neuropathy, bilateral.
5. Neuropathy due to systemic diseases.

Treatment Plan

1. Materials are taken for culture and sensitivity from the ulceration site, third toe, left foot.
2. X-ray examination, dorsal/plantar and medial/oblique views, left foot. Review of this film shows what may be the beginning of osseous destruction at the distal tip, distal phalanx, third toe.
3. Sharp surgical debridement of the ulceration site, distal aspect, third toe, left foot.
4. Antibiotic dressing with Neosporin cream.
5. The patient is asked to redress the digit several times daily with Neosporin cream and a gauze dressing.

Treatment Plan

6. Prescription: Levaquin 500 mg, dispense #14 to be taken daily.
7. Arrangements are made tomorrow with the hospital's diagnostic imaging center for a triple phase Technetium ⁹⁹ bone scan of the left foot.
8. The patient is to immediately report any increased redness, swelling, pus, pain, drainage or red streaks. RTC 5 days.

ICD-10 Index - Cellulitis

Cellulitis
foot
see

Cellulitis
lower limb
L03.11-

Cellulitis
toe
L03.03-

ICD-10 Tabular - Cellulitis

Cellulitis
of toe
L03.03-

Cellulitis
of left toe
L03.032

ICD-10 Index - Ulcer

Ulcer
lower limb
L97.909

Left Toe
L97.509

with bone
necrosis
L97.524

ICD-10 Tabular - Ulcer

L97.524

Non-pressure ulcer
of other part of left foot
with necrosis of bone

Diagnoses

ICD-9		ICD-10	
707.15	Ulcer other part of foot	E11.621	Type 2 Diabetes mellitus with foot ulcer
681.10	Cellulitis, toe	E11.42	Type 2 diabetes mellitus with diabetic with polyneuropathy
730.07	Osteomyelitis	L97.524	Non-pressure chronic ulcer of other part of foot with necrosis of bone, left foot
250.60	Diabetes mellitus, type II with peripheral neuropathy	L03.032	Cellulitis of left toe
357.2	Neuropathy due to systemic diseases	M86.172	Other osteomyelitis, left ankle and foot

Follow-up Exam

The final report of the culture and sensitivity indicate a 4+ growth of *Staphylococcus aureus* sensitive to levofloxacin. The report of the triple phase Technetium ⁹⁹ bone scan, left foot states there was “moderately intense radiotracer uptake within the distal aspect of the left third toe.” The report also states that “a moderate sized area of moderately intense radiotracer uptake is seen within the lateral aspect of the right midfoot compatible with degenerative change and possibly representing early Charcot changes.”

Follow-up Exam

The report of the laboratory studies shows the WBC to be 9.2×10^3 . The glucose was 97 mg/dL. The glycohemoglobin A_{1c} was 6.3%. The sed rate was 26 mm/hr. The C-reactive protein was 18.0 mg/L. The third digit, left foot remains edematous and erythematous. There is a viscus clear exudate coming from the ulcer site on the distal tip of the third toe, left foot. The ulcer site now measures approximately 0.1 cm in diameter. The ulcer continues to probe approximately 1.0 cm into the digit and to bone. No ascending cellulitis is noted about the left foot.

Diagnoses

ICD-9		ICD-10	
707.15	Ulcer other part of foot	E11.621	Type 2 Diabetes mellitus with foot ulcer
681.10	Cellulitis, toe	E11.42	Type 2 diabetes mellitus with diabetic polyneuropathy
730.07	Osteomyelitis	L97.524	Non-pressure ulcer chronic ulcer of other part of foot with necrosis of bone, left foot
250.60	Diabetes mellitus, type II with peripheral neuropathy	L03.032	Cellulitis of left toe
357.2	Neuropathy due to systemic diseases	M86.172	Other osteomyelitis, left ankle and foot
008.41	Staphylococcus aureus	B95.61	Methicillin susceptible Staphylococcus aureus in disease classified elsewhere

Chapter 12: Diseases of Skin and Subcutaneous Tissue L00 – L51

ICD-10 Rules

Definitions

Boil (furuncle): solitary skin abscess usually caused by *Staph aureus*

Carbuncle: a group of boils with connecting sinus tracks and multiple openings sometimes occurring in diabetics

Cellulitis: acute spreading inflammatory process of skin and subcutaneous tissues of bacterial origin

Definitions

Contact Dermatitis: delayed hypersensitivity reaction to chemical allergens in clothing, cosmetics, metals and jewelry

Atopic Dermatitis (eczema): unknown etiology that could be allergic, hereditary or psychologic

Seborrheic Dermatitis: occurs in areas of sebaceous glands in scalp, face, ears, neck, axillae, breasts and anogenital regions

Definitions

Nummular Dermatitis: more commonly in males than females, typically over age 55

Psoriasis: chronic inflammatory disease of unknown etiology that can vary in intensity

Urticaria (hives): acute eruption (patchy) of raised skin (wheals) or erythema with pruritis or stinging

Coding Issues

Codes are identified by type of condition and anatomic location.

If an infective organism is involved, that organism must be named.

Use B95 – B97 to identify organism.

“Excludes1” and “Excludes2” notes important in this chapter.

Excludes2: onychia and paronychia (L03.0-) in nail disorder section L60-

Laterality necessary

Chapter 12: Diseases of Skin and Subcutaneous Tissue L00 – L51

ICD-9 and ICD-10 GEMs Codes

ICD-10

L02.4- Cutaneous abscess, furuncle and carbuncle of limb

L02.41- Cutaneous abscess of limb

L02.6- Cutaneous abscess, furuncle and carbuncle of foot

L02.61- Cutaneous abscess of foot

ICD-9 to ICD-10

- 682.6 Cellulitis of leg
- L02.415 Cutaneous abscess of right lower limb**
- L02.416 Cutaneous abscess of left lower limb**
- L02.419 Cutaneous abscess of limb,
unspecified**

ICD-9 to ICD-10

681.10 Cellulitis of toe, NOS

862.7 Cellulitis of foot

L02.611 Cutaneous abscess of right foot

L02.612 Cutaneous abscess of left foot

L02.619 Cutaneous abscess of foot, unspecified

ICD-10

L02.4- Cutaneous abscess, furuncle and carbuncle of limb

L02.42- Furuncle of limb

Boil of limb

Folliculitis of limb

L02.6- Cutaneous abscess, furuncle and carbuncle of foot

L02.62- Furuncle of foot

Boil of foot

Folliculitis of foot

ICD-9 to ICD-10

680.6 Carbuncle / furuncle of leg

L02.425 Furuncle of right lower limb

L02.426 Furuncle of left lower limb

L02.429 Furuncle of limb, unspecified

ICD-9 to ICD-10

680.7 Carbuncle / furuncle of foot

L02.621 Furuncle of right foot

L02.622 Furuncle of left foot

L02.629 Furuncle of foot, unspecified

ICD-9 to ICD-10

680.6 Carbuncle / furuncle of leg

L02.435 Carbuncle of right lower limb

L02.436 Carbuncle of left lower limb

L02.439 Carbuncle of limb, unspecified

ICD-9 to ICD-10

680.7 Carbuncle / furuncle of foot

L02.631 Carbuncle of right foot

L02.632 Carbuncle of left foot

L02.639 Carbuncle of foot, unspecified

ICD-10

L03- Cellulitis and acute lymphangitis

L03.0- Cellulitis and acute lymphangitis of finger
and toe

Infection of nail

Onychia

Paronychia

Perionychia

L03.03- Cellulitis of toe

ICD-9 to ICD-10

681.10	Cellulitis of toe, NOS
681.11	Onychia / paronychia of toe
L03.031	Cellulitis of right toe
L03.032	Cellulitis of left toe
L03.039	Cellulitis of unspecified toe

ICD-9 to ICD-10

681.10 Cellulitis of toe, NOS

L03.041 Lymphangitis of right toe

L03.042 Lymphangitis of left toe

L03.049 Lymphangitis of unspecified toe

ICD-9 to ICD-10

682.6 Cellulitis of leg

682.7 Cellulitis of foot

L03.115 Cellulitis of right lower limb

L03.116 Cellulitis of left lower limb

L03.119 Cellulitis of unspecified part of limb

ICD-9 to ICD-10

682.6 Cellulitis of leg

682.7 Cellulitis of foot

L03.125 Lymphangitis of right lower limb

L03.126 Lymphangitis of left lower limb

L03.129 Lymphangitis of unspecified part of limb

ICD-9 to ICD-10

686.00 Pyoderma

L08.0 Pyoderma

Dermititis gangrenosum,

Purulent dermatitis

Septic dermatitis

Suppurative dermatitis

Excludes1: pyoderma gangrenosum (L88)

pyoderma vegetans (L08.81)

ICD-9 to ICD-10

039.0 Erythrasma

L08.1 Erythrasma

ICD-9 to ICD-10

691.8 Other atopic dermatitis

L20.81 Atopic neurodermatitis

L20.84 Intrinsic (allergic) eczema

L20.89 Other atopic dermatitis

ICD-10

L21- Seborrheic dermatitis

Excludes1: infective dermatitis (L30.3)
seborrheic keratosis (L82.-)

ICD-9 to ICD-10

690.18 Other seborrheic dermatitis, NEC

L21.8 Other seborrheic dermatitis

680.10 Seborrheic dermatitis

706.3 Seborrhea

L21.9 Seborrheic dermatitis, unspecified

ICD-10

L23- Allergic contact dermatitis

Excludes1: allergy NOS (T78.48)
contact dermatitis NOS (L25.9)
dermatitis NOS (L30.9)

Excludes2: dermatitis due to substances taken internally (L27.-)
irritant contact dermatitis (L24.-)

ICD-9 to ICD-10

692.83 Dermatitis due to metals

L23.0 Allergic contact dermatitis due to metals

ICD-9 to ICD-10

692.4 Chemical dermatitis

L23.1 Allergic contact dermatitis due to adhesives

L23.3 Allergic contact dermatitis due to drugs in contact with skin

(use additional code for adverse effect, if applicable, to identify drug [T36-T50 with 5th or 6th character])

Excludes2: dermatitis due to ingested drugs or medicaments (L27.0-L27.1)

ICD-9 to ICD-10

692.3 Topical medication dermatitis

L23.3 Allergic contact dermatitis due to drugs in contact with skin

(use additional code for adverse effect, if applicable, to identify drug [T36-T50 with 5th or 6th character])

Excludes2: dermatitis due to ingested drugs or medicaments (L27.0-L27.1)

ICD-9 to ICD-10

692.89 Dermatitis, NEC

L23.4 Allergic contact dermatitis due to dyes

692.4 Chemical dermatitis, NEC

L23.5 Allergic contact dermatitis due to other chemical products (cement, insecticide, plastic, rubber)

ICD-9 to ICD-10

692.6 Dermatitis due to plant

L23.7 Allergic contact dermatitis due to plants

692.84 Contact dermatitis to animal dander

L23.81 Allergic dermatitis due to animal dander

ICD-9 to ICD-10

692.89 Dermatitis, NEC

L23.89 Allergic contact dermatitis due to other agents

692.9 Dermatitis, NOS

L23.9 Allergic contact dermatitis, unspecified cause

ICD-10

L24- Irritant contact dermatitis

Excludes1: allergy NOS (T78.48)
contact dermatitis NOS (L25.9)
dermatitis NOS (L30.9)

Excludes2: allergic contact dermatitis (L23.-)
dermatitis due to substances taken internally
(L27.-)

ICD-9 to ICD-10

692.0 Detergent dermatitis

L24.0 Irritant contact dermatitis due to detergents

692.1 Oil and grease dermatitis

L24.1 Irritant contact dermatitis due to oils and greases

ICD-9 to ICD-10

692.2 Solvent dermatitis

L24.2 Irritant contact dermatitis due to solvents

692.3 Topical medication dermatitis

L24.4 Irritant contact dermatitis due to drugs in contact with skin

(use additional code for adverse effect, if applicable, to identify drug [T36-T50 with 5th or 6th character])

ICD-9 to ICD-10

692.4 Chemical dermatitis, NEC

**L24.5 Irritant contact dermatitis due to chemicals
(cement, insecticide, plastic, rubber)**

692.6 Dermatitis due to plant

L24.7 Irritant contact dermatitis due to plants

ICD-9 to ICD-10

692.83	Dermatitis to metals
L24.81	Irritant contact dermatitis due to metals
692.89	Dermatitis, NEC
L24.89	Irritant contact dermatitis due to other agents (dyes)
692.9	Dermatitis, NOS
L24.9	Irritant contact dermatitis, unspecified cause

ICD-9 to ICD-10

698.8 Pruritic condition, NEC

L29.8 Other pruritis

L29.9 Pruritis, unspecified (itch NOS)

ICD-9 to ICD-10

692.9 Dermatitis, NOS

L30.0 Nummular dermatitis

705.81 Dyshidrosis

L30.1 Dyshidrosis (pompholyx)

ICD-9 to ICD-10

690.8 Erythemosquamous dermatitis, NEC

L30.3 Infective dermatitis

692.9 Dermatitis, NOS

L30.8 Other specified dermatitis

L30.9 Dermatitis, unspecified (eczema NOS)

ICD-9 to ICD-10

696.1	Other psoriasis
L40.0	Psoriasis vulgaris
L40.1	Generalized pustular psoriasis
L40.3	Pustulosis palmaris et plantaris
L40.8	Other psoriasis
L40.9	Psoriasis, unspecified

ICD-9 to ICD-10

696.0 Psoriatic arthropathy

L40.50 Arthropathic psoriasis, unspecified

L40.51 Distal interphalangeal psoriatic arthropathy

L40.59 Other psoriatic arthropathy

ICD-9 to ICD-10

697.0 Lichen planus

L43.0 Hypertrophic lichen planus

L43.1 Bullous lichen planus

L43.8 Other lichen planus

L43.9 Lichen planus, unspecified

L 51- through L 99- coding for ICD-10

- This area deals with issues from L51- Erythema multiforme to L 99-
- Our at-risk foot codes fall within this area
- Skin lesions, nail codes67

Definitions

- L49 - L54** Urticaria and erythema
- L55 - L59** Radiation-related disorders of the skin and subcutaneous tissues
- L60 - L75** Disorders of skin appendages
- L76** Intraoperative and postprocedural complications of skin and subcutaneous tissue
- L80 - L99** Other disorders of the skin and subcutaneous tissue

Erythema multiforme

695.1 erythema multiforme

L51- erythema multiforme

L51.0 non bullous EM

L51.1 Stevens-Johnson

L51.2 toxic epidermal necrolysis

ICD-9 to ICD-10

695.9 Other erythematous condition, unspecified

L53.9 Erythematous condition, unspecified

ICD-9 to ICD-10

ICD-9

692.82 Sunburn

ICD-10

L55- Sunburn
L55.0 Sunburn, first degree
L55.1 Sunburn, second degree
L55.2 Sunburn, third degree
L55.9 Sunburn, unspecified degree

L60- Nail disorders

- Will see **more distinct** individual coding for various types of nail disorders.
- Remember to **look for LCDs** for coding guidance for Medicare.

ICD-9 703.0 Ingrowing Nail

ICD-10

- L60.0 Ingrowing nail
- L60.1 onycholysis
- L60.2 onychogryphosis
- L60.3 dystrophic nails
- L60.4 Beau's lines
- L60.5 yellow nail syndrome
- L60.8 other nail disorders
- L60.9 nail disorder, unspecified

ICD-9: 706.2 Sebaceous (inclusion) cyst

ICD-10

L72.0 epidermal cyst

L72.3 sebaceous cyst

ICD-9 705.0 Anhidrosis

ICD-10

L74.4 anhidrosis

L74.5 - Focal hyperhidrosis

L74.513 hyperhidrosis, focal, primarily the soles (of feet)

ICD-9 to ICD-10

705.89 porokeratosis secondary to eccrine sweat disorder

L74.8 other eccrine sweat disorders

L74.9 eccrine sweat disorder, unspecified

ICD-9 to ICD-10

705.89 Bromhidrosis

L75.0 Bromhidrosis (apocrine sweat disorder)

ICD-9 to ICD-10

L76- Intra-operative and post-operative complications of procedures of skin and soft tissues

998.11 hemorrhage complicating a procedure

L76.0- hemorrhage complicating a procedure of skin or soft tissue

L76.01 hemorrhage complicating a dermatological procedure

L76.02 hemorrhage complicating other procedure

ICD-9 to ICD-10

700 corn, callus, clavus

L84 corn, callus, (heloma), clavus, hyperkeratosis, tyloma

ICD-9 to ICD-10

- 701.1 Ichthyosis, acquired

- L85.0 ichthyosis, acquired**
- L85.1 keratoderma palmaris et plantaris, acquired**
- L85.2 keratosis punctate**
- L85.3 xerosis cutis (dry skin dermatitis)**
- L85.8 other specified (cutaneous horn porokeratosis)**
- L85.9 epidermal thickening, unspecified**

ICD-9 to ICD-10

686.01 pyoderma gangrenosum

L88 Pyoderma gangrenosum

Excludes1: dermatitis gangrenosum (L08.0)

ICD-9 to ICD-10

ICD-9: 707.0, 707.06, 707.07, 707.09, 707.21

L89-

Ulcer coding is much more specific in ICD-10.

Laterality is included.

Staging of the ulcer is included in the codes selected.

707.10 Lower extremity (atrophic) (chronic)
(neurogenic) (perforating) (pyogenic)
(trophic) (tropical)

707.10 [785.4] with gangrene (see also Ulcer, lower
extremity)

440.24 arteriosclerotic

707.13 ankle

440.23 arteriosclerotic

440.24 with gangrene

707.12 calf

ICD-9 Ulcers of the lower extremity

707.00	decubitus (see also Ulcer, pressure)	707.15	foot
707.00 [785.4] with gangrene		707.14	heel
707.06	ankle	707.19	knee
707.05	buttock	707.19	specified site
707.07	heel		NEC
707.04	hip	707.11	thigh
		707.15	toes
		454.0	varicose
		454.2	inflamed or infected

L 89 Pressure Ulcer

Includes: bed sore, decubitus ulcer, pressure area, plaster ulcer, pressure sore

Code first any associated gangrene (I96)

Excludes2: decubitus (trophic) ulcer of cervix (uteri) (N86)

diabetic ulcers (E08.621, E08.622, E09.621, E09.622,
E10.621, E10.622, E11.621, E11.622, E13.621, E13.622)

non-pressure chronic ulcer of skin (L97.-)

skin infections (L00-L08)

varicose ulcer (I83.0, I83.2)

Excludes 1

- A type 1 Excludes note is a pure excludes.
- It means "NOT CODED HERE!"
- An Excludes1 note indicates that **the code excluded should never be used at the same time as the code above the Excludes1 note.**
- An Excludes1 is for **used for when two conditions cannot occur together**, such as a congenital form versus an acquired form of the same condition.

Excludes 2

- A type 2 excludes note represents "Not included here".
- An excludes2 note indicates that the condition excluded is not part of the condition it is
- excluded from **but a patient may have both conditions at the same time.**
- When an Excludes2 note appears under a **code it is acceptable to use both the code and the excluded code together**

ICD-9

707.0 Chronic ulcer of
skin

*Excludes: varicose ulcer
454.0, 454.2*

707.06 ankle

ICD-10

L89.51- Pressure ulcer
of right ankle

L89.510 Pressure ulcer of
right ankle,
unstageable

L89.511 Pressure ulcer of
right ankle, stage 1

L89.512 Pressure ulcer of
right ankle, stage 2

L89.513 Pressure ulcer of
right ankle, stage 3

L89.514 Pressure ulcer of
right ankle, stage 4

ICD-10 Left ankle pressure ulcer

- L89.52-** Pressure ulcer of left ankle
- L89.520** Pressure ulcer of left ankle, unstageable
- L89.521** Pressure ulcer of left ankle, stage 1
- L89.522** Pressure ulcer of left ankle, stage 2
- L89.523** Pressure ulcer of left ankle, stage 3
- L89.524** Pressure ulcer of left ankle, stage 4
- L89.529** Pressure ulcer of left ankle, unspecified stage

ICD-10

L89.62-	Pressure ulcer of left heel
L89.620	Pressure ulcer of left heel, unstageable
L89.621	Pressure ulcer of left heel, stage 1
L89.622	Pressure ulcer of left heel, stage 2
L89.623	Pressure ulcer of left heel, stage 3
L89.624	Pressure ulcer of left heel, stage 4
L89.629	Pressure ulcer of left heel, unspecified stage

ICD-10 Pressure ulcer right heel

L89.61- Pressure ulcer of right heel

L89.610 Pressure ulcer of right heel, unstageable

L89.611 Pressure ulcer of right heel, stage 1

L89.612 Pressure ulcer of right heel, stage 2

L89.613 Pressure ulcer of right heel, stage 3

L89.614 Pressure ulcer of right heel, stage 4

L89.619 Pressure ulcer of right heel, unspecified stage

ICD-9 to ICD-10

701.9 Atrophic skin,
unspecified

L 90 Atrophic disorders
of skin

L90.5 Scar conditions and
fibrosis of skin

Excludes2: hypertrophic scar
(L91.0)

keloid scar (L91.0)

701.9 Unspecified
hypertrophic and
atrophic
conditions of skin

Atrophoderma

Skin tab

ICD-9 to ICD-10

701.4 Keloid, hypertrophic scar, cheloid

L91- Hypertrophic disorders of skin

L91.0 Keloid scar

Hypertrophic scar, Keloid

Excludes2: acne keloid (L73.0)

scar NOS (L90.5)

L91.8 Other hypertrophic disorders of the skin

L91.9 Hypertrophic disorder of the skin, unspecified

ICD-9 to ICD-10

695.89 Granuloma, other

L92.0 Granuloma annulare

L92.1 Necrobiosis lipoidica, not elsewhere classified
Excludes1 : necrobiosis lipoidica associated with diabetes mellitus (E08-E13 with .620)

Granuloma continued

L92.3 Foreign body granuloma of the skin and subcutaneous tissue
Use additional code to identify the type of retained foreign body (Z18.-)

L92.8 Other granulomatous disorders of the skin and subcutaneous tissue

L92.9 Granulomatous disorder of the skin and subcutaneous tissue, unspecified

ICD-9 to ICD-10

695.4 Lupus erythematosus

L93- Lupus erythematosus

Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)

Excludes1: lupus exedens (A18.4)

lupus vulgaris (A18.4)

scleroderma (M34.-)

systemic lupus erythematosus (M32.-)

L93.0 Discoid lupus erythematosus

L93.2 Other local lupus erythematosus

ICD-9 to ICD-10

701.0 Scleroderma, localized or circumscribed

L94- Other localized connective tissue disorders
Excludes1: systemic connective tissue disorders (M30-M36)

L94.0 Localized scleroderma [morphea]
Circumscribed scleroderma

L94.1 Linear scleroderma

L 94- other localized connective tissue diseases

L94.2 Calcinosis cutis

L94.3 Sclerodactyly

L94.6 Ainhum

L94.8 Other specified localized connective tissue disorders

L94.9 Localized connective tissue disorder, unspecified

For CREST syndrome

- See M34.1-

- **CR(E)ST syndrome**

Combination of calcinosis, Raynaud's phenomenon, esophageal dysfunction, sclerodactyly, telangiectasia

ICD-9 to ICD-10

447.6 Vasculitis

L95- Vasculitis limited to skin, not elsewhere classified
Excludes1: angioma serpiginosum (L81.7)

(D69.0) Henoch(-Schönlein) purpura

(M30.0) polyarteritis nodosa

(M05.2) rheumatoid vasculitis

(T80.6-) serum sickness

(L50.-) urticaria

(M31.3-) Wegener's granulomatosis

ICD-9 Non-pressure ulcers of lower extremity



707.1 Ulcer of lower limbs, except pressure ulcer
Ulcer, chronic, of lower limb:
neurogenic of lower limb
trophic of lower limb

Code, if applicable, any causal condition first:

diabetes mellitus (249.80-249.81, 250.80-250.83)

postphlebitic syndrome with ulcer (459.11)

postphlebitic syndrome with ulcer and inflammation
(459.13)



ICD-9 ulcers

- 707.10** Ulcer of lower limb, unspecified
- 707.11** Ulcer of thigh
- 707.12** Ulcer of calf
- 707.13** Ulcer of ankle
- 707.14** Ulcer of heel and midfoot, plantar surface of foot
- 707.15** Ulcer of other part of foot, toes
- 707.19** Ulcer of other part of lower limb

ICD-9 to ICD-10

707.1 Ulcer of lower extremity

L97- Non-pressure chronic ulcer of lower limb, not elsewhere classified Includes: chronic ulcer of skin of lower limb NOS

non-healing ulcer of skin

non-infected sinus of skin

trophic ulcer NOS

tropical ulcer NOS

ulcer of skin of lower limb NOS

L97- non-pressure ulcer of LE

- Code first any associated underlying condition, such as:
 - any associated gangrene (I96)
 - atherosclerosis of the lower extremities (I70.23-, I70.24-, I70.33-, I70.34-, I70.43-, I70.44-, I70.53-, I70.54-, I70.63-, I70.64-, I70.73-, I70.74-)
 - chronic venous hypertension (I87.31-, I87.33-)
 - diabetic ulcers (E08.621, E08.622, E09.621, E09.622, E10.621, E10.622, E11.621, E11.622, E13.621, E13.622)
 - postphlebitic syndrome (I87.01-, I87.03-)
 - postthrombotic syndrome (I87.01-, I87.03-)
 - varicose ulcer (I83.0-, I83.2-)

L 97.11- Non-pressure ulcer, right thigh

- L97.111** Non-pressure chronic ulcer of right thigh limited to breakdown of skin
- L97.112** Non-pressure chronic ulcer of right thigh with fat layer exposed
- L97.113** Non-pressure chronic ulcer of right thigh with necrosis of muscle
- L97.114** Non-pressure chronic ulcer of right thigh with necrosis of bone
- L97.119** Non-pressure chronic ulcer of right thigh with unspecified severity

L97.12- Non-pressure ulcer, left thigh

- L97.121** Non-pressure chronic ulcer of left thigh limited to breakdown of skin
- L97.122** Non-pressure chronic ulcer of left thigh with fat layer exposed
- L97.123** Non-pressure chronic ulcer of left thigh with necrosis of muscle
- L97.124** Non-pressure chronic ulcer of left thigh with necrosis of bone
- L97.129** Non-pressure chronic ulcer of left thigh with unspecified severity

L97.21- Non-pressure chronic ulcer of right calf

- L97.211** Non-pressure chronic ulcer of right calf limited to breakdown of skin
- L97.212** Non-pressure chronic ulcer of right calf with fat layer exposed
- L97.213** Non-pressure chronic ulcer of right calf with necrosis of muscle
- L97.214** Non-pressure chronic ulcer of right calf with necrosis of bone
- L97.219** Non-pressure chronic ulcer of right calf with unspecified severity

L97.22- Non-pressure chronic ulcer of left calf

- L97.221** Non-pressure chronic ulcer of left calf limited to breakdown of skin
- L97.222** Non-pressure chronic ulcer of left calf with fat layer exposed
- L97.223** Non-pressure chronic ulcer of left calf with necrosis of muscle
- L97.224** Non-pressure chronic ulcer of left calf with necrosis of bone
- L97.229** Non-pressure chronic ulcer of left calf with unspecified severity

L97.31- Non-pressure chronic ulcer of right ankle (707.13 ICD-9)

- L97.311** Non-pressure chronic ulcer of right ankle limited to breakdown of skin
- L97.312** Non-pressure chronic ulcer of right ankle with fat layer exposed
- L97.313** Non-pressure chronic ulcer of right ankle with necrosis of muscle
- L97.314** Non-pressure chronic ulcer of right ankle with necrosis of bone
- L97.319** Non-pressure chronic ulcer of right ankle with unspecified severity

L97.32- Non-pressure chronic ulcer of left ankle (707.13 ICD-9)

- L97.321** Non-pressure chronic ulcer of left ankle limited to breakdown of skin
- L97.322** Non-pressure chronic ulcer of left ankle with fat layer exposed
- L97.323** Non-pressure chronic ulcer of left ankle with necrosis of muscle
- L97.324** Non-pressure chronic ulcer of left ankle with necrosis of bone
- L97.329** Non-pressure chronic ulcer of left ankle with unspecified severity

L97.41- Non-pressure chronic ulcer of right heel and midfoot (707.14 ICD-9)

- L97.411** Non-pressure chronic ulcer of right heel and midfoot limited to breakdown of skin
- L97.412** Non-pressure chronic ulcer of right heel and midfoot with fat layer exposed
- L97.413** Non-pressure chronic ulcer of right heel and midfoot with necrosis of muscle
- L97.414** Non-pressure chronic ulcer of right heel and midfoot with necrosis of bone
- L97.419** Non-pressure chronic ulcer of right heel and midfoot with unspecified severity

L97.42- Non-pressure chronic ulcer of left heel and midfoot

- L97.421** Non-pressure chronic ulcer of left heel and midfoot limited to breakdown of skin
- L97.422** Non-pressure chronic ulcer of left heel and midfoot with fat layer exposed
- L97.423** Non-pressure chronic ulcer of left heel and midfoot with necrosis of muscle
- L97.424** Non-pressure chronic ulcer of left heel and midfoot with necrosis of bone
- L97.429** Non-pressure chronic ulcer of left heel and midfoot with unspecified severity

L97.40- Non-pressure chronic ulcer of unspecified heel and midfoot

- L97.401** Non-pressure chronic ulcer of unspecified heel and midfoot limited to breakdown of skin
- L97.402** Non-pressure chronic ulcer of unspecified heel and midfoot with fat layer exposed
- L97.403** Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of muscle
- L97.404** Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of bone
- L97.409** Non-pressure chronic ulcer of unspecified heel and midfoot with unspecified severity

L97.51 Non-pressure chronic ulcer of other part of right foot (707.15 ICD-9)

- L97.511** Non-pressure chronic ulcer of other part of right foot limited to breakdown of skin
- L97.512** Non-pressure chronic ulcer of other part of right foot with fat layer exposed
- L97.513** Non-pressure chronic ulcer of other part of right foot with necrosis of muscle
- L97.514** Non-pressure chronic ulcer of other part of right foot with necrosis of bone
- L97.519** Non-pressure chronic ulcer of other part of right foot with unspecified severity

L97.52- Non-pressure chronic ulcer of other part of left foot

- L97.52- Non-pressure chronic ulcer of other part of left foot
 - L97.521** Non-pressure chronic ulcer of other part of left foot limited to breakdown of skin
 - L97.522** Non-pressure chronic ulcer of other part of left foot with fat layer exposed
 - L97.523** Non-pressure chronic ulcer of other part of left foot with necrosis of muscle
 - L97.524** Non-pressure chronic ulcer of other part of left foot with necrosis of bone
 - L97.529** Non-pressure chronic ulcer of other part of left foot with unspecified severity

Other Lower leg ulcers ICD-10 (707.19 ICD-9)

- L97.8-** Non-pressure chronic ulcer of other part of lower leg
 - L97.81** Non-pressure chronic ulcer of other part of right lower leg
 - L97.82** Non-pressure chronic ulcer of other part of left lower leg
- L97.9-** Non-pressure chronic ulcer of unspecified part of lower leg
 - L97.91** Non-pressure chronic ulcer of unspecified part of right lower leg
 - L97.92** Non-pressure chronic ulcer of unspecified part of left lower leg

ICD-9 to ICD-10

686.1 Pyogenic Granuloma

L98.0 Pyogenic Granuloma

695.89 Factitial dermatitis

L98.1 Factitial dermatitis
Neurotic excoriation

L99 Other disorders of skin and subcutaneous tissue in diseases classified elsewhere

**Code first underlying disease, such as:
amyloidosis (E85.-)**

Excludes1: skin disorders in diabetes (E08-E13 with .62)
skin disorders in gonorrhea (A54.89)
skin disorders in syphilis (A51.31, A52.79)

NIDDM with right foot ulcer

ICD-9

ICD-10

250.80

DM with
foot ulcer

E13.621

**DM other specified with
foot ulcer**

707.15

ulcer of other
part of foot

**(use add code for the
site. L97.4 - L97.5)**

**L97.511 chronic ulcer of
other part of right foot**

Diabetic at-risk foot care comparison

ICD-9

ICD-10

250.60	DM with polyneuropathy	E11.42	DM with polyneuropathy
357.2	polyneuropathy	L 84	callus, corn
701.1	Keratosis	L 60.3	dystrophic nail
703.8	onychodystrophy		

Next Webinar

Musculoskeletal System M00 – M50 Part 1

Presented by: Lawrence Santi, DPM

Thursday, February 20, 2014 at 8:00 PM ET

Register at www.apma.org/webinars or www.apma.org/icd10

